



## SAFETY DATA SHEET

### 1. Identification of the Substance and Company

**Verify SCBI**

**Product No.**

**MSDS No. S116**

*NFPA 704 HAZARD RATING:*

*HEALTH: 0*

*FIRE: 0*

*REACTIVITY: 0*

**Prepared by: M. Ebers**

[asksteris\\_msd@steris.com](mailto:asksteris_msd@steris.com)

**Date Created: June 24, 2002 Date Revised: April 14, 2011 Date Reviewed: NA**

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US  
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)  
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park, Leicester,  
LE5 1QZ, UK

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276 8636

Verify provides accurate test results for either EO, steam or flash cycles. Verify products utilize spores of *Bacillus stearothermophilus* for steam sterilization, or *Bacillus subtilis* for EO use.

<b>PRODUCT NAME:</b>	<b>PRODUCT NUMBER:</b>
Verify SCBI Dual	S3060
Verify SCBI Dual	S3061
Verify SCBI Steam Test Pack	S3065
Verify SCBI Steam Test Pack	S3069
Verify SCBI EO Test Pack	S3070
Verify SCBI EO Test Pack	S3071
Verify SCBI Steam – Single	S3111
Verify SCBI EO - Single	S3112
<b>SHIPPING INFORMATION:</b>	<b>NOT RESTRICTED</b>

Verify products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

In the case of accidental exposure, take the following precautionary measures:

**EYES:** Immediately flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.

**SKIN:** Immediately wash with soap and water. Get medical attention if irritation develops.

**INGESTION:** Give water to drink and get medical advice.

**INHALATION:** Remove to fresh air. Get medical attention for any breathing difficulty.