



## SAFETY DATA SHEET

### 1. Identification of the Substance and Company

#### VERIFY™ SCBI and Test Packs

Product No. S116

SDS No. S116

Prepared by: M. Ebers

[asksteris\\_msds@steris.com](mailto:asksteris_msds@steris.com)

Date Created: June 24, 2002 Date Revised: February 13, 2013 Date Reviewed: NA

#### NFPA 704 HAZARD RATING:

HEALTH: 0

FIRE: 0

REACTIVITY: 0

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US  
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)  
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Limited, Chancery House, 190 Waterside Road, Hamilton Industrial Park, Leicester, LE5 1QZ, UK

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276 8636

VERIFY provides accurate test results for either EO, steam or flash cycles. VERIFY products utilize spores of *Geobacillus stearothermophilus* for steam sterilization, or *Bacillus atrophaeus* for EO use.

PRODUCT NAME:	PRODUCT NUMBER:
VERIFY™ Dual Species Self Contained Biological Indicator	S3060
VERIFY™ Dual Species Self Contained Biological Indicator	S3061
VERIFY™ Biological Steam Test Pack	S3065
VERIFY™ Biological Steam Test Pack	S3069
VERIFY™ Biological EO Test Pack	S3070
VERIFY™ Biological EO Test Pack	S3071
VERIFY™ Steam Self Contained Biological Indicator (single species)	S3111
VERIFY™ EO Self Contained Biological Indicator (single species)	S3112
<b>SHIPPING INFORMATION:</b>	<b>NOT RESTRICTED</b>

VERIFY Biological Indicators and Test Packs are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

In the case of accidental exposure, take the following precautionary measures:

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.

SKIN: Immediately wash with soap and water. Get medical attention if irritation develops.

INGESTION: Give water to drink and get medical advice.

INHALATION: Remove to fresh air. Get medical attention for any breathing difficulty.